



YOUR
ENTRY
EXPERTS.

LOW LEVEL SECURITY



TRILOCK 75.

THE **HIGH END, RELIABLE** TRIPOD TURNSTILE

Maintaining the same medium capacity and reliability as other waist-high turnstile models, the Trilock 75 is our luxurious solution for higher-end applications. Providing the best balance of security and design, the Trilock 75 can be customized to match the look and feel of any existing building simply and easily. This tripod, low level security entrance can cope with both medium-sized crowds and abusive conditions simultaneously.



OVERVIEW

Designed for indoor or outdoor use, this tripod turnstile slows traffic down and supports guard staff on the location which needs control. While the turnstile can be used for one-way traffic, typical traffic flow is two-way, one direction at a time. Users must pause and take turns before proceeding through the lane.

ECONOMICAL FOR LIFE

The sturdy construction and simple mechanisms that constitute this entrance solution, mean that service and maintenance are reduced. The tough materials used also mean that the turnstile guarantees a long lifespan. The combination of these two features is that you are left with an economical product which will serve you and your valuable visitors for the lifespan of the tripod turnstile.

KEY FEATURES

- Premium materials
- Smooth, quiet rotation
- Easy installation
- Indicator lights (green / red) for easy use and flow
- Rigid or collapsible arm set
- Left or right-handed installation
- Additional flexible options available to fine-tune or 'Level Up'

KEY BENEFITS

- Capable of operating under abusive conditions
- Aesthetics suitable for indoor applications
- Minimal maintenance
- Quiet operation
- Effective at managing large crowds

SUGGESTED SEGMENTS

- Office buildings
- Libraries
- Museums
- Leisure / recreation
- Transit
- Manufacturing
- Education



PUTTING THE POWER BACK IN YOUR HANDS

One size does not fit all, and that is why we at Boon Edam believe in offering modular solutions. This approach allows the security professional to design a tailored entrance solution that balances security and safety with aesthetics.

The result is a unique entrance that fits the needs of each industry, application and individual company. To get started, choose from an array of quality standard options. Then, 'Level Up' where it matters most to your company – whether that be in terms of throughput, security, safety, aesthetics, technology or user comfort – or a combination of each. A modular solution approach truly puts the power back into your hands - the power to create a refined entry with ease.

SCALABLE FLEXIBILITY IS THE FUTURE

The ability to integrate a large variety of secondary security technology into our tripod turnstiles is the ideal way in which to fine-tune by 'Leveling Up' their entrance security when increased protection is required.

Meeting your security goal easily and within your budget is the reason why we work together with you to ensure that by using these options, you end up with a product that outperforms the others safely, beautifully and profitably.

You can level up in any of these categories:

- THROUGHPUT
- SECURITY
- SAFETY
- AESTHETICS
- TECHNOLOGY
- COMFORT
- SERVICE

LEVEL UP



If our standard specifications do not quite suit your needs, we open up opportunities for you to 'Level Up' where it counts most. You can also do this according to your most motivating value driver.


The specification table shows you our standard product options, and to the right of these, you can easily see, and consider, any compatible 'Level Up' options for fine-tuning the Trilock 75.








TECHNICAL SPECIFICATIONS


 THROUGHPUT	STANDARD	LEVEL UP OPTIONS
Throughput	20-25 People per minute	
Cabinet Width	203 mm / 8"	
Cabinet Height	965 mm / 38"	
Cabinet Length	914 mm / 36"	
Passage Width	457 mm / 18"	508 mm / 20", 559 mm / 22"
Overall Lane Width	660 mm / 26"	711 mm / 28", 762 mm / 30"
Barrier Height	825 mm / 32-5/8"	
 SECURITY	STANDARD	LEVEL UP OPTIONS
Access Control Integration	Dry contacts for virtually any access control device	
Key Switch Panel	Electric key override (entry, exit or both) for remote locking/unlocking of turnstile	
 SAFETY	STANDARD	LEVEL UP OPTIONS
Fail Safe Operation	Lock and motor both disengage in the event of a power failure	Fail secure: lock and motor remain locked in the event of a power failure
Fire Alarm Connection	Emergency egress settings depending on local regulations and or customer request	
Emergency Opening		Collapsible arm
 AESTHETICS	STANDARD	LEVEL UP OPTIONS
Cabinet Material	Stainless steel	
Cabinet Color	Stainless steel	Other colors and branding: On special request
Cabinet Shape	Squared cabinet	Rounded cabinet
 TECHNOLOGY	STANDARD	LEVEL UP OPTIONS
Power Supply	110-240 VAC, 50 / 60 Hz	INTEGRATION OPPORTUNITIES: <ul style="list-style-type: none"> • BoonTouch external control panel (up to 6 lanes) • Coin token operation • Remote push button • Serial port interface
Operating Power	220W	
Operating Temperature	-15°C / +5°F to +50°C / +113°F	
Weight	51 kg / 135 lbs	
Card Reader Mount	On top of turnstile cabinet	
 COMFORT	STANDARD	LEVEL UP OPTIONS
Disabled Access		Trilock Side Gate with 915 mm / 36" passage width
Visual Cues		Indicator lights (red / green) and arrow pictograms
Extended Arm Lengths		Longer arm length creates a wider lane to enhance user comfort
Heavy-Duty Foam Sleeves		Covers for turnstile arms to minimize touching hot metal

WORKING PRINCIPLE



TECHNICAL DIMENSIONS





SERVICE AND MAINTENANCE

With hundreds or thousands of visitors passing through an entry every day, continued and reliable operation is vital. Regular service and maintenance can prevent unexpected hardware breakdowns. Boon Edam's service and maintenance teams across the world are experienced in the effects the local conditions have on the wear and tear of your entry solutions and can offer specialized service and maintenance contracts that correspond to those conditions perfectly.



COMPLIANCE

The goal of an organization is to safeguard the valuable assets inside – both people and property. As is often the case, industries must comply with relevant local and global laws, policies and regulations, to achieve the important goal of overall safety and security. Failure to meet the appropriate measures and criteria set out in these regulations could result in catastrophic incidents and substantial fines.

Boon Edam security entrances are trusted solutions that allow organizations to meet compliance regulations related to restricting access to areas within a building. We take compliance and safety very seriously and ensure that our products are manufactured, installed and maintained to keep up the strict criteria required in all our countries. We are always improving and always committed to making sure our products are compliant and certified. More information can be found on our website under 'Our Responsibility'.

The Trilock 75 complies with the following North American standards:

- UL standard 294
- CAN/ULC S319

OUR REACH IS GLOBAL.

We have been in business for more than 140 years manufacturing premium aesthetic and security entrance solutions in the Netherlands, United States of America and China. We can confidently say that we cover every corner of the globe with subsidiary companies in major cities across the globe. Furthermore our global export division not only partner with our distributors, but also offer direct sales and service to every territory. This wide net allows us to have a strong global footprint as well as a personal grasp of local markets and their unique entry requirements.

To find your closest Boon Edam expert, please go to:

www.boonedam.us/contact



Boon Edam Inc.
T 910 814 3800
E sales@boonedam.us
I www.boonedam.us


BOON EDAM
YOUR ENTRY EXPERTS.